

14
kWh/1000h

A+
energy class

109
lumens/watt

Dimmable Bright Stik™

LED DimSTIK 14(100)840 E27 TU
93104214

Product information

TUNGSRAM keeps innovating and introduces the Dimmable Bright Stik to complete the most successful range* in the LED lamps to replace CFL and eCFL.

- Bright Stik™ Led Lamp range won the IDEA

Bronze design award in 2017 and the IF Design award in 2018

Application areas



Office



Hospitality



Home



Other

Product data

Product Code	93104214
Bulb Shape	T45
Bulb Finish	White
Bulb maximum overall diameter [mm]	45
Nominal Length [mm]	138
Net weight per piece [g]	69
Dimmability	Yes
RoHS compliant	Yes
Brand	Tungsräm
Cap/Base	E27

Performance data

Nominal/ Rated Beam Angle [°]	240
Rated Lumens [lm]	1521
Weighted energy consumption [kWh/1000h]	14.0
Rated efficacy [lm/W]	108.64
Energy efficiency class (EEC)	A+
Rated life L70/B50 [h]	15000
Nominal correlated colour temperature (CCT) [K]	4000
Nominal lumens [lm]	1521
Colour Rendering Index (CRI) [Ra]	80


Electrical data

Nominal lamp power factor...	>0.7
Operating Temperature (MIN) [°C]	-20°C
Operating Temperature (MAX) [°C]	+40°C
Starting time (sec)	<0.5 s
Warm up time up to 60% of full light output	Instant on
Number of switching cycles	50k
Nominal lamp voltage range [V]	220-240V 50/60Hz
Nominal power [W]	14.0

Logistic data

Shipment	Standard
DUN Code	15994100019999
EAN Code	5994100019992
Pack Quantity	15
Product status	Available

Photometric Data



Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Photometry \(IES\)](#)

[Product datasheet \(PDF\)](#)

[Datasheet \(PDF\)](#)

[User Manual for the Bright Stik™ products \(PDF\)](#)

[Images \(HTTP\)](#)

