












































ART.	BESCHREIBUNG	VERP.FORM	VERPACKUNG																																																																																											
			Stk.	Gewicht kg.	Abmess. cm.																																																																																									
2049	Fester Sprühregner auf Spike. 360° Wasserfluß und Durchmesser regulierbar.		25	1,8	31x27x24																																																																																									
2049 S			50	2,3	43x20x16																																																																																									
	Technische Daten																																																																																													
	<table border="1"> <tr> <td>bar</td> <td>1,5</td> <td>2,5</td> <td>3,5</td> </tr> <tr> <td>l/min.</td> <td>10</td> <td>13</td> <td>15,5</td> </tr> <tr> <td>r/m.</td> <td>4</td> <td>4,5</td> <td>5</td> </tr> </table>	bar	1,5	2,5	3,5	l/min.	10	13	15,5	r/m.	4	4,5	5																																																																																	
bar	1,5	2,5	3,5																																																																																											
l/min.	10	13	15,5																																																																																											
r/m.	4	4,5	5																																																																																											
2050	Wasserfluß und Durchmesser regulierbar, 1/2" Innengewinde. Fester Regner 360°.		10	0,3	21x15x14																																																																																									
2050 S			100	0,8	21x15x14																																																																																									
2051	Fester Regner 270°.		10	0,3	21x15x14																																																																																									
2051 S			100	0,8	21x15x14																																																																																									
2052	Fester Regner 180°.		10	0,3	21x15x14																																																																																									
2052 S			100	0,8	21x15x14																																																																																									
2053	Fester Regner 90°.		10	0,3	21x15x14																																																																																									
2053 S			100	0,8	21x15x14																																																																																									
	Technische Daten																																																																																													
	<table border="1"> <thead> <tr> <th>Art.</th> <th colspan="2">360° </th> <th colspan="2">270° </th> <th colspan="2">180° </th> <th colspan="2">90° </th> </tr> <tr> <td></td> <td>2050</td> <td>2051</td> <td>2052</td> <td>2053</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>bar</td> <td>l/min.</td> <td>r/m.</td> <td>l/min.</td> <td>r/m.</td> <td>l/min.</td> <td>r/m.</td> <td>l/min.</td> <td>r/m.</td> </tr> </thead> <tbody> <tr> <td>1,5</td> <td>10</td> <td>4</td> <td>7,5</td> <td>4</td> <td>5</td> <td>4</td> <td>2,5</td> <td>4</td> </tr> <tr> <td>2,5</td> <td>13</td> <td>4,5</td> <td>10</td> <td>4,5</td> <td>7</td> <td>4,5</td> <td>3,3</td> <td>4,5</td> </tr> <tr> <td>3,5</td> <td>15,5</td> <td>5</td> <td>11,5</td> <td>5</td> <td>9</td> <td>5</td> <td>4</td> <td>5</td> </tr> </tbody> </table>	Art.	360° 		270° 		180° 		90° 			2050	2051	2052	2053					bar	l/min.	r/m.	l/min.	r/m.	l/min.	r/m.	l/min.	r/m.	1,5	10	4	7,5	4	5	4	2,5	4	2,5	13	4,5	10	4,5	7	4,5	3,3	4,5	3,5	15,5	5	11,5	5	9	5	4	5																																							
Art.	360° 		270° 		180° 		90° 																																																																																							
	2050	2051	2052	2053																																																																																										
bar	l/min.	r/m.	l/min.	r/m.	l/min.	r/m.	l/min.	r/m.																																																																																						
1,5	10	4	7,5	4	5	4	2,5	4																																																																																						
2,5	13	4,5	10	4,5	7	4,5	3,3	4,5																																																																																						
3,5	15,5	5	11,5	5	9	5	4	5																																																																																						
2054	PLUVIELLA Fester Sprühregner 360°.		10	1,5	43x20x16																																																																																									
2054 S			80	8,0	51x30x38																																																																																									
	Technische Daten																																																																																													
	<table border="1"> <tr> <td>bar</td> <td>1</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> </tr> <tr> <td>l/min.</td> <td>13</td> <td>22</td> <td>28</td> <td>34</td> <td>37</td> </tr> <tr> <td>r/m.</td> <td>2,5</td> <td>4,0</td> <td>4,5</td> <td>5,0</td> <td>5,0</td> </tr> </table>	bar	1	2	3	4	5	l/min.	13	22	28	34	37	r/m.	2,5	4,0	4,5	5,0	5,0																																																																											
bar	1	2	3	4	5																																																																																									
l/min.	13	22	28	34	37																																																																																									
r/m.	2,5	4,0	4,5	5,0	5,0																																																																																									
2057	DELTA Fester Regner einstellbar auf 6 Positionen für: Voll-halb- und viertelkreisförmige Fläche. Quadrat- und Rechteckfläche - Streifenförmige Fläche. Mit Kupplungsstecker. Technische Daten:		6	3,0	58x26x26																																																																																									
	<table border="1"> <thead> <tr> <th rowspan="2">P bar</th> <th colspan="2">360° </th> <th colspan="2">180° </th> <th colspan="2">90° </th> <th colspan="2">□ </th> <th colspan="2">▭ </th> <th colspan="2">▬ </th> </tr> <tr> <td>l/min.</td> <td>r/m.</td> <td>l/min.</td> <td>r/m.</td> <td>l/min.</td> <td>r/m.</td> <td>l/min.</td> <td>m.</td> <td>l/min.</td> <td>m.</td> <td>l/min.</td> <td>m.</td> </tr> </thead> <tbody> <tr> <td>1</td> <td>12</td> <td>3,5</td> <td>8</td> <td>3,5</td> <td>5</td> <td>3,5</td> <td>12</td> <td>5x5</td> <td>8</td> <td>6x3</td> <td>10</td> <td>11x2</td> </tr> <tr> <td>2</td> <td>21</td> <td>4,0</td> <td>13</td> <td>4,5</td> <td>7</td> <td>4</td> <td>21</td> <td>7x7</td> <td>13</td> <td>8x4</td> <td>17</td> <td>14x2</td> </tr> <tr> <td>3</td> <td>27</td> <td>4,5</td> <td>17</td> <td>5,5</td> <td>9</td> <td>4,5</td> <td>27</td> <td>9x9</td> <td>17</td> <td>10x5</td> <td>22</td> <td>16x2</td> </tr> <tr> <td>4</td> <td>32</td> <td>5</td> <td>20</td> <td>6,0</td> <td>11</td> <td>5</td> <td>32</td> <td>10x10</td> <td>20</td> <td>12x6</td> <td>25</td> <td>18x2</td> </tr> <tr> <td>5</td> <td>37</td> <td>5</td> <td>23</td> <td>6,0</td> <td>12</td> <td>5</td> <td>37</td> <td>10x10</td> <td>23</td> <td>12x6</td> <td>29</td> <td>18x2</td> </tr> </tbody> </table>	P bar	360° 		180° 		90° 		□ 		▭ 		▬ 		l/min.	r/m.	l/min.	r/m.	l/min.	r/m.	l/min.	m.	l/min.	m.	l/min.	m.	1	12	3,5	8	3,5	5	3,5	12	5x5	8	6x3	10	11x2	2	21	4,0	13	4,5	7	4	21	7x7	13	8x4	17	14x2	3	27	4,5	17	5,5	9	4,5	27	9x9	17	10x5	22	16x2	4	32	5	20	6,0	11	5	32	10x10	20	12x6	25	18x2	5	37	5	23	6,0	12	5	37	10x10	23	12x6	29	18x2			
P bar	360° 		180° 		90° 		□ 		▭ 		▬ 																																																																																			
	l/min.	r/m.	l/min.	r/m.	l/min.	r/m.	l/min.	m.	l/min.	m.	l/min.	m.																																																																																		
1	12	3,5	8	3,5	5	3,5	12	5x5	8	6x3	10	11x2																																																																																		
2	21	4,0	13	4,5	7	4	21	7x7	13	8x4	17	14x2																																																																																		
3	27	4,5	17	5,5	9	4,5	27	9x9	17	10x5	22	16x2																																																																																		
4	32	5	20	6,0	11	5	32	10x10	20	12x6	25	18x2																																																																																		
5	37	5	23	6,0	12	5	37	10x10	23	12x6	29	18x2																																																																																		